Brain Research, 534 (1990) 357–358
Elsevier

Author Index

Abdallah, E.A.M., Pou, W.S. and El-Fakahany, E.E., Aging does not alter muscarinic receptor-mediated inhibition of cyclic AMP formation in the striatum and hippocampus, 234
Aburada, M., see Goto, K., 299
Alameddine, L., see Wimer, R.E., 94
Alcayaga, J. and Eyzaguirre, C., Electrophysiological evidence for the reconstitution of chemosensory units in co-cultures of carotid body and nodose ganglion neurons, 324
Alger, B.E., see Pitler, T.A., 257
Alkon, D.L., see Lederhendler, I.I., 195
Amir, S., Activation of brown adipose tissue thermogenesis by chemical stimulation of the posterior hypothalamus, 303
Anderson, R.E., see Puumala, M., 283
Angelatou, F., Pagonopoulo, O. and Kostopoulos, G., Alterations of A1 adenosine receptors in different mouse brain areas after pentylentetrazol-induced seizures, but not in the epileptic mutant mouse 'tottering', 251
Aquino, D.A., see Hozumi, I., 291
Arjune, D. and Bodnar, R.J., Suppression of nocturnal, palatable and glucoprivic intake in rats by the opioid antagonist, norbinaltorphamine, 313
Armstrong, D.L., see Denny, J.B., 201
Armstrong, D.L., see Denny, J.B., 317
Arvidsson, U., see Lindå, H., 352
Atkins, P.T., see Nishi, K., 111
Awaya, A., see Nishino, H., 73

Bare, D.J., see O'Steen, W.K., 99
Belluardo, N., Mudò, G. and Bindoni, M., Effects of early destruction of the mouse arcuate nucleus by monosodium glutamate on age-dependent natural killer activity, 225
Belmaker, R.H., see Kofman, O., 345
Bennett, G.N., see Wang-Bennett, L.T., 122
Billington, C.J., see Levine, A.S., 60
Bindoni, M., see Belluardo, N., 225
Bodnar, R.J., see Arjune, D., 313
Brünig, G., see Scheidler, A., 332

Carr, K.D., Effects of antibodies to dynorphin A and β-endorphin on lateral hypothalamic self-stimulation in ad libitum fed and food-deprived rats, 8
Cassel, J.C., Kelche, C., Hornsperger, J.M., Jackisch, R., Hertting, G. and Will, B.E., Graft-induced learning impairment despite graft-enhanced cholinergic functions in the hippocampus of rats with septohippocampal lesions, 295
Chang, C.C., see Hong, S.J., 142
Chelsea, D.M., see DiStefano, P.S., 340
Chiu, L.M., see Sitges, M., 51
Cohen, A.J., see Wimer, R.E., 94
Cox, R.F. and Waszczak, B.L., Irreversible receptor inactivation reveals differences in dopamine receptor reserve between A9 and A10 dopamine systems: an electrophysiological analysis, 273
Cullhein, S., see Lindå, H., 352

Denny, J.B., Polan-Curtain, J., Ghuman, A., Wayner, M.J. and Armstrong, D.L., Calpain inhibitors block long-term potentiation, 317
Denny, J.B., Polan-Curtain, J., Rodriquez, S., Wayner, M.J. and Armstrong, D.L., Evidence that protein kinase M does not maintain long-term potentiation, 201
DiStefano, P.S. and Chelsea, D.M., Regulation of Schwann cell surface and truncated nerve growth factor receptors in vitro by axonal components, 340
Dourish, C.T., see O'Neill, M.F., 287
Du, F., see Okuno, E., 37

El-Fakahany, E.E., see Abdallah, E.A.M., 234
Eldrige, J.C. and Landfield, P.W., Cannabinoid interactions with glucocorticoid receptors in rat hippocampus, 135
Erber, J., see Scheidler, A., 332
Etcheberrigaray, R., see Lederhendler, I.I., 195
Eyzaguirre, C., see Alcayaga, J., 324

Facchinetti, F., see Poli, A., 45
Ford, A.P.D.W. and Marsden, C.A., In vivo neurochemical and behavioural effects of intracerebrally administered neurotensin and D-TRP^{11}-neurotensin on mesolimbic and nigrostriatal dopaminergic function in the rat, 243
Fort, P., see Luppi, P.-H., 209
Freed, W.J., see Jaskiw, G.E., 263
Fujita, M., see Natsukari, N., 170
Furuyama, F., see Nishino, H., 73
Furuyama, F., see Nishino, H., 83

Ghuman, A., see Denny, J.B., 317
Goto, K., Ishige, A., Sekiguchi, K., Izuka, S., Sugimoto, A., Yuzurihara, M., Aburada, M., Hosoya, E. and Kogure, K., Effects of cycloheximide on delayed neuronal death in rat hippocampus, 299
Gower, D.J., see O'Steen, W.K., 99
Grace, M., see Levine, A.S., 60
Guarnieri, T., see Poli, A., 45

Hanai, H., see Natsukari, N., 170
Hashimoto, K., see Makino, S., 117
Hashitani, T., see Nishino, H., 73
Hashitani, T., see Nishino, H., 83
Hattori, T., see Makino, S., 117
Heller, H.C., see Prosser, R.A., 336
Hertting, G., see Cassel, J.C., 295
Hill, D.R., see Stoessl, A.J., 1
Hirasawa, R., see Makino, S., 117
Hökfelt, T., see Lindå, H., 352
Hong, S.J. and Chang, C.C., Nicotinic actions of oxotremorine on murine skeletal muscle. Evidence against muscarinic modulation of acetylcholine release, 142
Horikomi, K., see Nishino, H., 73
Hornsperger, J.M., see Cassel, J.C., 295
Hoshino, S., see Mori, N., 329
Hosoya, E., see Goto, K., 299
Hozumi, I., Aquino, D.A. and Norton, W.T., GFAP mRNA levels following stab wounds in rat brain, 291

Inoue, N. and Matsui, H., Activation of a brain type Na pump after glutamate excitation of cerebral neurons, 309
Ishige, A., see Goto, K., 299
Ishikawa, T., see Okuno, E., 37
Isobe, Y., see Nishino, H., 73
Isobe, Y., see Nishino, H., 83
Iversen, S.A., see O'Neill, M.F., 287
Izuka, S., see Goto, K., 299

Jackisch, R., see Cassel, J.C., 295
Jaskiw, G.E., Karoum, F., Freed, W.J., Phillips, I., Kleinman, J.E. and Weinberger, D.R., Effect of ibotenic acid lesions of the medial prefrontal cortex on amphetamine-induced locomotion and regional brain catecholamine concentrations in the rat, 263
Jaskiw, G.E., Karoum, F.K. and Weinberger, D.R., Persistent elevations in dopamine and its metabolites in the nucleus accumbens after mild subchronic stress in rats with ibotenic acid lesions of the medial prefrontal cortex, 321
Jouvet, M., see Luppi, P.-H., 209

Kageyama, J., see Makino, S., 117
Kajikawa, D., Mori, T., Kubota, H. and Shimo-oku, M., The isolation of cultured oligodendrocytes from rat optic nerve, 65
Kanai, M., see Nishino, H., 83
Karoum, F., see Jaskiw, G.E., 263
Karoum, F.K., see Jaskiw, G.E., 321
Kaulen, P., see Scheidler, A., 332
Kelche, C., see Cassel, J.C., 295
Kido, R., see Okuno, E., 37
Kitai, S.T., see Nishi, K., 111
Kleinman, J.E., see Jaskiw, G.E., 263
Kofman, O. and Belmaker, R.H., Intracerebroventricular *myo*-inositol antagonizes lithium-induced suppression of rearing behaviour in rats, 345
Kogure, K., see Goto, K., 299
Kostopoulos, G., see Angelatou, F., 251
Kubota, H., see Kajikawa, D., 65
Kumashiro, H., see Mori, N., 329
Kumazaki, M., see Nishino, H., 73
Kumazaki, M., see Nishino, H., 83

Landfield, P.W., see Eldridge, J.C., 135
Lederhendler, I.I., Etcheberrigaray, R., Yamoah, E.N., Matzel, L.D. and Alkon,

D.L., Outgrowths from *Hermissenda* photoreceptor somata are associated with activation of protein kinase C, 195
Levine, A.S., Grace, M., Billington, C.J. and Portoghese, P.S., Nor-binaltorphimine decreases deprivation and opioid-induced feeding, 60
Lewis, E.R., see Myers, S.F., 15
Liebl, D.J., see Wang-Bennett, L.T., 122
Lindå, H., Cullheim, S., Risling, M., Arvidsson, U., Mossberg, K., Ulfhake, B., Terenius, L. and Hökfelt, T., Enkephalin-like immunoreactivity levels increase in the motor nucleus after an intramedullar axotomy of motoneurons in the adult cat spinal cord, 352
Loewy, A.D., see Spencer, S.E., 149
Luppi, P.-H., Fort, P. and Jouvet, M., Iontophoretic application of unconjugated cholera toxin B subunit (CTb) combined with immunohistochemistry of neurochemical substances: a method for transmitter identification of retrogradely labeled neurons, 209

Makino, S., Hashimoto, K., Hirasawa, R., Hattori, T., Kageyama, J. and Ota, Z., Central interaction between endothelin and brain natriuretic peptide on pressor and hormonal responses, 117
Marsden, C.A., see Ford, A.P.D.W., 243
Marshall, J.F. and Navarrete, R.J., Contrasting tissue factors predict heterogeneous striatal dopamine neurotoxicity after MPTP or methamphetamine treatment, 348
Matsui, H., see Inoue, N., 309
Matsunaga, T., see Natsukari, N., 170
Matzel, L.D., see Lederhendler, I.I., 195
Mayhan, W.G., Effect of diabetes mellitus on disruption of the blood-brain barrier during acute hypertension, 106
Meyer, F.B., see Puumala, M., 283
Miller, J.D., see Prosser, R.A., 336
Moore, F.L., see Muske, L.E., 177
Mori, N., Hoshino, S. and Kumashiro, H., Comparison between substantia innominata and amygdala kindling in rats, 329
Mori, T., see Kajikawa, D., 65
Morita, Y., see Uchida, K., 237
Morris, M., see O'Steen, W.K., 99
Mossberg, K., see Lindå, H., 352
Mudò, G., see Belluardo, N., 225
Muske, L.E. and Moore, F.L., Ontogeny of immunoreactive gonadotropin-releasing hormone neuronal systems in amphibians, 177
Myers, S.F. and Lewis, E.R., Hair cell tufts and afferent innervation of the bullfrog crista ampullaris, 15

Nakamura, M., see Okuno, E., 37
Natsukari, N., Hanai, H., Matsunaga, T. and Fujita, M., Synergistic activation of brain adenylate cyclase by calmodulin, and either GTP or catecholamines including dopamine, 170
Navarette, R.J., see Marshall, J.F., 348
Nishi, K., Atkins, P.T., Surmeier, D.J. and Kitai, S.T., Muscarinic regulation of cyclic AMP metabolism in rat neostriatal cultures, 111
Nishino, H., Hashitani, T., Isobe, Y., Furuyama, F., Sato, H., Kumazaki, M., Horikomi, K. and Awaya, A., tGS ganglioside induces peculiar morphological features in grafted dopaminergic cells and promotes motor recovery in rats with unilateral lesions in the nigrostriatal dopamine pathway, 73
Nishino, H., Hashitani, T., Kumazaki, M., Sato, H., Furuyama, F., Isobe, Y., Watari, N., Kanai, M. and Shiosaka, S., Long-term survival of grafted cells, dopamine synthesis/release, synaptic connections, and functional recovery after transplantation of fetal nigral cells in rats with unilateral 6-OHDA lesions in the nigrostriatal dopamine pathway, 83
Norton, W.T., see Hozumi, I., 291

Okuno, E., Du, F., Ishikawa, T., Nakamura, M., Schwarcz, R. and Kido, R., Purification and characterization of kynurenine-pyruvate aminotransferase from rat kidney and brain, 37
O'Neill, M.F., Dourish, C.T., Tye, S.J. and Iversen, S.A., Blockade of CCK-B receptors by L-365,260 induces analgesia in the squirrel monkey, 287
O'Steen, W.K., Bare, D.J., Tytell, M., Morris, M. and Gower, D.J., Water deprivation protects photoreceptors against light damage, 99
Ota, Z., see Makino, S., 117

Pagonopoulo, O., see Angelatou, F., 251
Phillips, I., see Jaskiw, G.E., 263
Pitler, T.A. and Alger, B.E., Activation of the pharmacologically defined M3 muscarinic receptor depolarizes hippocampal pyramidal cells, 257
Platt, K.B., see Spencer, S.E., 149
Polan-Curtain, J., see Denny, J.B., 201
Polan-Curtain, J., see Denny, J.B., 317
Poli, A., Guarnieri, T., Facchinetti, F. and Villani, L., Effect of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in goldfish brain, 45
Portoghese, P.S., see Levine, A.S., 60
Pou, W.S., see Abdallah, E.A.M., 234
Prosser, R.A., Miller, J.D. and Heller, H.C., A serotonin agonist phase-shifts the circadian clock in the suprachiasmatic nuclei in vitro, 336
Puumala, M., Anderson, R.E. and Meyer, F.B., Intraventricular infusion of HBGF-2 promotes cerebral angiogenesis in Wistar rat, 283

Ramón de la Fuente, J., see Sitges, M., 51
Raval, N.A., see Wimer, R.E., 94
Reyneke, L., Russell, V.A. and Taljaard, J.J.F., Evidence that the stimulatory effect of neurotensin on dopamine release in rat nucleus accumbens slices is independent of dopamine D2-receptor activation, 188
Risling, M., see Lindå, H., 352
Rodriguez, S., see Denny, J.B., 201
Rowe, B.P., Saylor, D.L. and Speth, R.C., Novel angiotensin II binding sites in the mesopontine area of the rat brain, 129
Russell, V.A., see Reyneke, L., 188

Sato, H., see Nishino, H., 73
Sato, H., see Nishino, H., 83
Sawyer, W.B., see Spencer, S.E., 149
Saylor, D.L., see Rowe, B.P., 129
Scheidler, A., Kaulen, P., Brünig, G. and Erber, J., Quantitative autoradiographic localization of [^{125}I]α-bungarotoxin binding sites in the honeybee brain, 332
Schneider, J.S., Chronic exposure to low doses of MPTP. II. Neurochemical and pathological consequences in cognitively-impaired, motor asymptomatic monkeys, 25
Schwarcz, R., see Okuno, E., 37
Sekiguchi, K., see Goto, K., 299
Shimo-oku, M., see Kajikawa, D., 65
Shiosaka, S., see Nishino, H., 83
Sitges, M., Chiu, L.M. and Ramón de la Fuente, J., The effect of verapamil on GABA and dopamine release does not involve voltage-sensitive calcium channels, 51
Spencer, S.E., Sawyer, W.B., Wada, H., Platt, K.B. and Loewy, A.D., CNS projections to the pterygopalatine parasympathetic preganglionic neurons in the rat: a retrograde transneuronal viral cell body labeling study, 149
Speth, R.C., see Rowe, B.P., 129
Stoessl, A.J. and Hill, D.R., Autoradiographic visualization of NK-3 tachykinin binding sites in the rat brain, utilizing [^{3}H]senktide, 1
Sugimoto, A., see Goto, K. 299
Surmeier, D.J., see Nishi, K., 111

Taljaard, J.J.F., see Reyneke, L., 188
Terenius, L., see Lindå, H., 352
Tye, S.J., see O'Neill, M.F., 287
Tytell, M., see O'Steen, W.K., 99

Uchida, K. and Morita, Y., Intracellular responses from UV-sensitive cells in the photosensory pineal organ, 237
Ulfhake, B., see Lindå, H., 352

Villani, L., see Poli, A., 45

Wada, H., see Spencer, S.E., 149
Wang-Bennett, L.T., Liebl, D.J. and Bennett, G.N., Targeted neuronal lesion induced by photosensitizing dyes, 122
Waszczak, B.L., see Cox, R.F., 273
Watari, N., see Nishino, H., 83
Wayner, M.J., see Denny, J.B., 201
Wayner, M.J., see Denny, J.B., 317
Weinberger, D.R., see Jaskiw, G.E., 263
Weinberger, D.R., see Jaskiw, G.E., 321
Will, B.E., see Cassel, J.C., 295
Wimer, C.C., see Wimer, R.E., 94
Wimer, R.E., Wimer, C.C., Winn, C.J., Raval, N.A., Alameddine, L. and Cohen, A.J., New strains of seizure-prone mice, 94
Winn, C.J., see Wimer, R.E., 94

Yamoah, E.N., see Lederhendler, I.I., 195
Yuzurihara, M., see Goto, K., 299